

Awnings

Trade price list excluding VAT

March 2023



Base Awnings & Blinds LTD.

Address

Unit 2B Masonry Trading Estate
135A Bloxwich Road
Walsall
West Midlands
WS2 8BS

Phone Number

Customer Services: 01922 644429
Sales: 07943 875574

Email addresses

General: sales@basedirect.co.uk
Orders: orders@basedirect.co.uk
Estimates: estimates@basedirect.co.uk
Accounts: accounts@basedirect.co.uk

Website

www.basedirect.co.uk

How to order

Email order form only (copy on back page) or email for a blank digital copy

CONTENTS

Awnings		4-11
Standard Specifications & Optional Additions	Brackets, sign writing and powder coating	4
Base Plus	Fully closed cassetted awning concealing the arms and fabric when retracted.	5
Base Lite	Smaller spec than Base Plus, a fully closed cassetted awning concealing the arms and fabric when retracted.	6
Armony Plus	Heavy duty suitable for all commercial or domestic applications, this fully closed cassetted awning conceals the arms and fabric when retracted.	7
Calnova	(NEW) Square back bar semi cassetted system concealing the fabric but leaving the arms exposed when retracted.	8
Zenith	Square back bar fully cassetted awning concealing the arms and fabric when retracted.	9
Epica (NEW)	Fully cassetted folding arm awning on two side brackets.	10
Italia Slim C59	Retractable drop arm awning	11
Outdoor Living		12
Gennius/Kedry	Our outdoor living range includes all weather retractable or louvered roof systems.	12
Covers		
Fabrics	Dickson range, cut length and roll price	13
Covers	Made to measure Dickson covers	14

Standard Specifications & Optional Additions


Brackets, sign writing and powder coating

Fixings

Awnings are not supplied with fixings as the method of fixing can vary based on the installation.

Brackets

- All Awnings are supplied with brackets as standard.
- We can supply a range of different brackets all zinc and powder coated to your awning fitting requirements.
- We uphold and ensure all our brackets meet UKCA/CE standards.



Gutter Brackets



Pipe Brackets



Flat Spreader Plate

Standard Brackets	£
Spreader Bungalow Brackets - White (price per pair) Size of section: 60mm x 40mm. Leg: 750	272
Spreader Bungalow Brackets - Grey (price per pair) Size of section: 60mm x 40mm. Leg: 750	288
Gutter - white (price each) Size of section: 60mm x 40mm. Leg: 980 (A)	218
Gutter - grey (price each) Size of section: 60mm x 40mm. Leg: 980 (A)	235
Non-Standard Brackets	POA

Optional Additions

Accessories

	£
Telescopic poles for front rails Only available with Venezia Gold and Unica BQ	67
Extra winder for manual awnings (supplied x1 winder per awning as std.)	67

Logos & Pictures

Price on application and sight of artwork details. (NB. Prices for logos and specials do not include the preparation of artwork and are based on good quality artwork being provided to us (Artwork can be supplied, if requested, at an additional cost)

Heater

The heater can be controlled via remote control, for this option a Heating slim receiver IO 2KW is required.

Model	£
Grande 1.5KW single heater (RAL9010 / White only. Other colour options P.O.A)	269
Heating slim IO receiver	98

Sign Writing

Standard Letters - up to 12" (305mm) high

Styles include Arial (block capitals), Times New Roman, Windsor, Cooper, Belwe, Palace Script and Brush Script.

	£
Standard Letters - Price per letter	6.00
Letters over 12" (305mm) high	POA

Minimum price per Awning, Cover or Valance - £125

All other models - POA

Powder Coating


All metal components and profiles can be powdercoated to any RAL colour at a cost of £70 per metre width, unless otherwise stated. Minimum order charge of £280 per Awning.

Carriage	£
Up to 5.8M commercial address main land England, Scotland and Wales	62
Up to 5.8M residential address main land England, Scotland and Wales	86
Up to 5.8M commercial address Northern Ireland	92

Carriage	£
Up to 5.8M residential address Northern Ireland	118
Up to 5.8M commercial address Channel islands and Isle of White	173
Up to 5.8M residential address Channel islands and Isle of White	208

Base Plus

Fully closed cassetted awning concealing the arms and fabric when retracted.



Colours RAL

9010 White (Standard)
7016 Anthracite
9005 Black

Min/Max width

Minimum 1910mm
Maximum 5500mm

Min width for arm size

Projection (CM)	Width (CM) 2 brackets
160	191
210	241
260	291
310	341

Complete Dickson Solar Protection

Surcharges apply to the following fabrics: Dickson Jacquard add 10%, for Dickson Solar Protection Max Self Cleaning cover add 12%, for Spark FR add 15%

	Width cm	200	250	300	350	400	450	500	550
	Projection cm	£	£	£	£	£	£	£	£
Manual	160	981	1055	1190	1280	1418	1496	1632	1742
Motorised	160	1255	1329	1464	1554	1692	1770	1906	2016
Manual	210		1102	1252	1331	1482	1562	1712	1834
Motorised	210		1376	1526	1605	1756	1836	1986	2108
Manual	260			1327	1432	1562	1649	1801	1923
Motorised	260			1602	1706	1836	1923	2076	2198
Manual	310				1526	1647	1730	1893	2019
Motorised	310				1800	1921	2004	2168	2293

Motorised prices include, as standard, Somfy IO Motor with 3M Black Cable.

175mm Valance*	40	56	61	64	67	68	71	74
----------------	----	----	----	----	----	----	----	----

*Valance - straight or scallop finish, please specify on order. Edging braid co-ordinated to fabric.

Options

Remotes

Models	£
Situo 1 IO (single channel remote)	28
Situo 5 IO (5 channel remote)	36
Smooove IO Wall Mounted Switch	30
Situo Variation Anemometer IO - 1 channel <i>To be used with the Soliris IO</i>	62
Situo Pure Variation Anemometer IO - 5 channel <i>To be used with the Soliris IO</i>	78

Sensors

Models	£
Soliris IO Mains Powered, Wireless Sun & Wind Sensor 90	100
Eolis IO Mains Powered, Wind Sensor	95
Eolis 3D Wirefree IO Battery Powered, Anemometer Wind Sensor	78
Eolis 3D Vibration Sensor - Battery Powered, Vibration Sensor	99

Special Options

Models	£
Extra wide std mounting bracket (price per pair)	20
Manual override motor to add to manual awning price	320
5M black motor cable	10
10M white motor cable	12
Powder Coating (Minimum order charge of £280 per Awning)	£70 per metre width

Lightboxes

Available in 1.7m or 3.4m lengths. These low voltage units can be controlled by a Situo 5 IO remote. Prices include transformer, receiver, lighting modules and external grey box.

Arm Length	Per Pair £
1.7m light box with 4 downlighters	365
3.4m light box with 8 downlighters	455

LED Arm Lights


LED Arm Lights including Lighting VAR IO receiver and transformer. Grey cable length to match motor

Arm Length	Per Pair £
Only available in grey and white	
1600mm	349
2100mm	382
2600mm	420
3100mm	458

Carriage	£	Carriage	£
Up to 5.8M commercial address main land England, Scotland and Wales	62	Up to 5.8M residential address Northern Ireland	118
Up to 5.8M residential address main land England, Scotland and Wales	86	Up to 5.8M commercial address Channel islands and Isle of White	173
Up to 5.8M commercial address Northern Ireland	92	Up to 5.8M residential address Channel islands and Isle of White	208

Base Lite

Smaller spec than Base Plus, but fully closed cassetted awning concealing the arms and fabric when retracted.



Colours RAL

9010 White (Standard)

Min/Max width

Minimum 1910mm

Maximum 4000mm

Min width for arm size

Projection (CM)	Width (CM) 2 brackets
160	191
210	241
260	291

Complete Dickson Solar Protection

Surcharges apply to the following fabrics: Dickson Jacquard add 10%, for Dickson Solar Protection Max Self Cleaning cover add 12%, for Spark FR add 15%

	Width cm	200	250	300	350	400
	Projection cm	£	£	£	£	£
Manual	160	872	937	1058	1135	1261
Motorised	160	1146	1211	1332	1409	1535
Manual	210		979	1115	1182	1313
Motorised	210		1253	1389	1456	1587
Manual	260			1179	1270	1387
Motorised	260			1453	1544	1661

Motorised prices include, as standard, Somfy IO Motor.

175mm Valance*	40	56	61	64	67
----------------	----	----	----	----	----

*Valance - straight or scallop finish, please specify on order. Edging braid co-ordinated to fabric.

Options

Remotes

Models	£
Situo 1 IO (single channel remote)	28
Situo 5 IO (5 channel remote)	36
Smooove IO Wall Mounted Switch	30
Situo Variation Anemometer IO - 1 channel <i>To be used with the Soliris IO</i>	62
Situo Pure Variation Anemometer IO - 5 channel <i>To be used with the Soliris IO</i>	78

Sensors

Models	£
Soliris IO Mains Powered, Wireless Sun & Wind Sensor 90	100
Eolis IO Mains Powered, Wind Sensor	95
Eolis 3D Wirefree IO Battery Powered, Anemometer Wind Sensor	78
Eolis 3D Vibration Sensor - Battery Powered, Vibration Sensor	99

Special Options


Models	£
Extra wide std mounting bracket (price per pair)	20
5M black motor cable	10
10M white motor cable	12
Powder Coating (Minimum order charge of £280 per Awning)	£70 per metre width

Carriage	£
Up to 5.8M commercial address main land England, Scotland and Wales	62
Up to 5.8M residential address main land England, Scotland and Wales	86
Up to 5.8M commercial address Northern Ireland	92

Carriage	£
Up to 5.8M residential address Northern Ireland	118
Up to 5.8M commercial address Channel islands and Isle of White	173
Up to 5.8M residential address Channel islands and Isle of White	208

Armony Plus

Heavy duty suitable for all commercial or domestic applications, this fully closed cassetted awning conceals the arms and fabric when retracted.



Colours RAL

9010 White (Standard)

Min/Max width

Minimum 2120mm

Maximum 12000mm

Min width for arm size

Projection (CM)	Width (CM) 2 brackets
160	212
210	262
260	312
310	372
360	431

Complete Dickson Solar Protection

Surcharges apply to the following fabrics: Dickson Jacquard add 10%, for Dickson Solar Protection Max Self Cleaning cover add 12%, for Spark FR add 15%

	Width cm	200	250	300	350	400	450	500	550	600	650	700	750	800	850	900
	Projection cm	£	£	£	£	£	£	£	£	£	£	£	£	£	£	£
Manual	160	1361	1521	1611	1737	1871	1987	2147	2386	2557	2792	2905	3022	3133	3242	3358
Motorised	160	1641	1802	1891	2017	2151	2267	2428	2710	2881	3116	3230	3409	3521	3630	3745
Manual	210		1575	1682	1794	1943	2053	2231	2475	2584	2900	3010	3129	3240	3347	3461
Motorised	210		1855	1962	2075	2223	2333	2512	2799	2909	3225	3335	3516	3628	3735	3848
Manual	260			1785	1909	2062	2181	2367	2626	2735	3068	3179	3298	3410	3518	3632
Motorised	260			2065	2189	2343	2461	2647	2951	3060	3393	3504	3686	3798	3905	4019
Manual	310				2069	2147	2263	2463	2741	2846	3189	3302	3419	3529	3644	3755
Motorised	310				2349	2428	2543	2744	3065	3170	3513	3627	3806	3917	4031	4142
Manual	360						2496	2705	3058	3173	3576	3687	3807	3914	4030	4138
Motorised	360						2776	2985	3382	3498	3901	4011	4195	4302	4417	4526

Motorised prices include, as standard, Somfy IO Motor with 3M Black Cable

Prices over 9000mm - POA

175mm Valance*	40	56	61	64	67	68	71	74	76	82	86	87	89	90	93
----------------	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

*Valance - straight or scallop finish, please specify on order. Edging braid co-ordinated to fabric.

Options

Remotes

Models	£
Situo 1 IO (single channel remote)	28
Situo 5 IO (5 channel remote)	36
Smooove IO Wall Mounted Switch	30
Situo Variation Anemometer IO - 1 channel <i>To be used with the Soliris IO</i>	62
Situo Pure Variation Anemometer IO - 5 channel <i>To be used with the Soliris IO</i>	78

Sensors

Models	£
Soliris IO Mains Powered, Wireless Sun & Wind Sensor 90	100
Eolis IO Mains Powered, Wind Sensor	95
Eolis 3D Wirefree IO Battery Powered, Anemometer Wind Sensor	78
Eolis 3D Vibration Sensor - Battery Powered, Vibration Sensor	99

Special Options

Models	£
5M black motor cable	10
10M white motor cable	12
Powder Coating (Minimum order charge of £280 per Awning)	£70 per metre width

Lightboxes

Available in 1.7m or 3.4m lengths. These low voltage units can be controlled by a Situo 5 IO remote. Prices include transformer, receiver, lighting modules and external grey box.

Arm Length	Per Pair £
1.7m light box with 4 downlighters	365
3.4m light box with 8 downlighters	455

LED Arm Lights


LED Arm Lights including Lighting VAR IO receiver and transformer. Grey cable length to match motor

Arm Length	Per Pair £
Only available in grey and white	
1600mm	349
2100mm	382
2600mm	420
3100mm	458
3600mm	499

Carriage	£	Carriage	£
Up to 5.8M commercial address main land England, Scotland and Wales	62	Up to 5.8M residential address Northern Ireland	118
Up to 5.8M residential address main land England, Scotland and Wales	86	Up to 5.8M commercial address Channel islands and Isle of White	173
Up to 5.8M commercial address Northern Ireland	92	Up to 5.8M residential address Channel islands and Isle of White	208

Calnova

(NEW) Square back bar semi cassetted system concealing the fabric but leaving the arms exposed when retracted.



Colours RAL

9010 White (Standard)

Min width for arm size

Projection (CM)	Width (CM) 2 brackets
160	210
210	260
260	310
310	360
360	410

Min/Max width

Minimum 2100mm
Maximum 12000mm



**Cross arm now available
please see below prices**

Complete Dickson Solar Protection

Surcharges apply to the following fabrics: Dickson Jacquard add 10%, for Dickson Solar Protection Max Self Cleaning cover add 12%, for Spark FR add 15%

	Width cm	300	350	400	450	500	600	700	800	900	1000	1100	1200
	Projection cm	£	£	£	£	£	£	£	£	£	£	£	£
Manual	160	1443	1589	1697	1831	1927	2081	2763	3111	3358	3534	3709	4433
Motorised	160	1723	1869	1977	2111	2207	2405	3088	3499	3746	3922	4097	4821
Manual	210	1490	1641	1751	1879	1983	2147	2857	3206	3469	3708	3970	4607
Motorised	210	1770	1921	2031	2159	2263	2472	3182	3594	3857	4096	4358	4995
Manual	260	1582	1722	1847	1977	2103	2257	3200	3400	3679	3934	4210	4887
Motorised	260	1862	2002	2127	2257	2383	2582	3525	3788	4067	4322	4598	5275
Manual	310	1634	1774	1915	2045	2178	2345	3121	3524	3816	4088	4385	5063
Motorised	310	1914	2054	2195	2325	2725	2670	3446	3912	4204	4476	4773	5451
Manual	360	1793	1933	2073	2318	2469	2627	3629	4053	4367	4655	4967	5848
Motorised	360	2072	2213	2353	2598	2749	2952	3954	4441	4755	5043	5355	6236

Motorised prices include, as standard, Somfy IO Motor with 3M Black Cable

Units over 7M require a join and onsite build

Prices in bold Cross arm option

175mm Valance*	61	64	67	68	71	76	86	89	93	97	99	101
----------------	----	----	----	----	----	----	----	----	----	----	----	-----

*Valance - straight or scallop finish, please specify on order. Edging braid co-ordinated to fabric.

Options

Remotes

Models	£
Situo 1 IO (single channel remote)	28
Situo 5 IO (5 channel remote)	36
Smoove IO Wall Mounted Switch	30
Situo Variation Anemometer IO - 1 channel <i>To be used with the Soliris IO</i>	62
Situo Pure Variation Anemometer IO - 5 channel <i>To be used with the Soliris IO</i>	78

Sensors

Models	£
Soliris IO Mains Powered, Wireless Sun & Wind Sensor 90	100
Eolis IO Mains Powered, Wind Sensor	95
Eolis 3D Wirefree IO Battery Powered, Anemometer Wind Sensor	78
Eolis 3D Vibration Sensor - Battery Powered, Vibration Sensor	99

Special Options

Models	£
5M black motor cable	10
10M white motor cable	12
Extra wide std mounting bracket (price per pair)	20
Powder Coating (Minimum order charge of £280 per Awning)	£70 per metre width

Lightboxes

Available in 1.7m or 3.4m lengths. These low voltage units can be controlled by a Situo 5 IO remote. Prices include transformer, receiver, lighting modules and external grey box.

Arm Length	Per Pair £
1.7m light box with 4 downlighters	365
3.4m light box with 8 downlighters	455

LED Arm Lights

LED Arm Lights including Lighting VAR IO receiver and transformer. Grey cable length to match motor

Arm Length	Per Pair £
Only available in grey and white	
1600mm	349
2100mm	382
2600mm	420
3100mm	458
3600mm	499


Optional large front rail-
upto 5M +£100, 5M+ £200

Carriage	£
Up to 5.8M commercial address main land England, Scotland and Wales	62
Up to 5.8M residential address main land England, Scotland and Wales	86
Up to 5.8M commercial address Northern Ireland	92

Carriage	£
Up to 5.8M residential address Northern Ireland	118
Up to 5.8M commercial address Channel islands and Isle of White	173
Up to 5.8M residential address Channel islands and Isle of White	208

Zenith

Square back bar fully cassetted awning concealing the arms and fabric when retracted.



Colours RAL

9010 White (Standard)

Min/Max width

Minimum 3000mm

Maximum 12000mm

Min width for arm size

Projection (CM)	Width (CM) 2 brackets
160	222
210	272
260	322
310	372
360	431
410	481
435	506

Complete Dickson Solar Protection

Surcharges apply to the following fabrics: Dickson Jacquard add 10%, for Dickson Solar Protection Max Self Cleaning cover add 12%, for Spark FR add 15%

	Width cm	300	360	400	480	500	600	700	800	900	1000	1100	1200
	Projection cm	£	£	£	£	£	£	£	£	£	£	£	£
Manual	160	2275	2638	2755	3063	3174	3529	4259	4616	4975	5335	5695	6053
Motorised	160	2555	2918	3035	3343	3454	3854	4584	5004	5363	5723	6083	6441
Manual	210	2353	2695	2820	3126	3243	3596	4373	4730	5092	5449	5809	6167
Motorised	210	2633	2975	3100	3406	3523	3921	4698	5118	5480	5837	6197	6555
Manual	260		2793	2935	3243	3376	3732	4572	4932	5290	5649	6009	6367
Motorised	260		3073	3215	3523	3656	4057	4897	5320	5678	6037	6397	6755
Manual	310			3045	3354	3507	3863	4755	5114	5472	5833	6191	6549
Motorised	310			3325	3634	3787	4188	5080	5502	5860	6221	6579	6937
Manual	360				3703	3875	4231	5415	5880	6345	6811	7277	7741
Motorised	360				3983	4155	4556	5740	6268	6733	7199	7665	8129
Manual	410				4012	4198	4579	5872	6404	6901	7399	7941	8437
Motorised	410				4292	4478	4904	6197	6792	7289	7787	8329	8825

Motorised prices include, as standard, Somfy IO Motor with 3M Black Cable

Units over 7M require a join and onsite build

175mm Valance*	61	64	67	68	71	76	86	89	93	97	99	101
----------------	----	----	----	----	----	----	----	----	----	----	----	-----

*Valance - straight or scallop finish, please specify on order. Edging braid co-ordinated to fabric.

Options

Remotes

Models	£
Situo 1 IO (single channel remote)	28
Situo 5 IO (5 channel remote)	36
Smooove IO Wall Mounted Switch	30
Situo Variation Anemometer IO - 1 channel <i>To be used with the Soliris IO</i>	62
Situo Pure Variation Anemometer IO - 5 channel <i>To be used with the Soliris IO</i>	78

Sensors

Models	£
Soliris IO Mains Powered, Wireless Sun & Wind Sensor 90	100
Eolis IO Mains Powered, Wind Sensor	95
Eolis 3D Wirefree IO Battery Powered, Anemometer Wind Sensor	78
Eolis 3D Vibration Sensor - Battery Powered, Vibration Sensor	99

Special Options

Models	£
5M black motor cable	10
10M white motor cable	12
Powder Coating (Minimum order charge of £280 per Awning)	£70 per metre width

Lightboxes

Available in 1.7m or 3.4m lengths. These low voltage units can be controlled by a Situo 5 IO remote. Prices include transformer, receiver, lighting modules and external grey box.

Arm Length	Per Pair £
1.7m light box with 4 downlighters	365
3.4m light box with 8 downlighters	455

LED Arm Lights


LED Arm Lights including Lighting VAR IO receiver and transformer. Grey cable length to match motor

Arm Length Only available in grey and white	Per Pair £
1600mm	349
2100mm	382
2600mm	420
3100mm	458
3600mm	499

Carriage	£	Carriage	£
Up to 5.8M commercial address main land England, Scotland and Wales	62	Up to 5.8M residential address Northern Ireland	118
Up to 5.8M residential address main land England, Scotland and Wales	86	Up to 5.8M commercial address Channel islands and Isle of White	173
Up to 5.8M commercial address Northern Ireland	92	Up to 5.8M residential address Channel islands and Isle of White	208

Epica (NEW)

Fully casseted folding arm awning on two side brackets.



Colours RAL

9010 White (Standard)

Min/Max width

Minimum 2130mm

Maximum 6000mm

Min width for arm size

Projection (CM)	Width (CM) 2 brackets
160	213
210	263
260	313
310	363
360	413

Complete Dickson Solar Protection

Surcharges apply to the following fabrics: Dickson Jacquard add 10%, for Dickson Solar Protection Max Self Cleaning cover add 12%, for Spark FR add 15%

Width cm	300	350	400	450	500	550	600
Projection cm	£	£	£	£	£	£	£
Manual 160	1433	1608	1671	1904	1991	2079	2155
Motorised 160	1707	1882	1945	2178	2265	2353	2429
Manual 210	1498	1671	1748	1994	2080	2168	2258
Motorised 210	1772	1945	2022	2268	2354	2442	2532
Manual 260		1740	1832	2091	2178	2267	2370
Motorised 260		2014	2106	2365	2453	2541	2644
Manual 310			1912	2185	2271	2359	2476
Motorised 310			2186	2459	2545	2633	2750
Manual 360				2449	2535	2624	2754
Motorised 360				2723	2809	2898	3028

Motorised prices include, as standard, Somfy IO Motor with 3M Black Cable

Options

Remotes

Models	£
Situo 1 IO (single channel remote)	28
Situo 5 IO (5 channel remote)	36
Smooove IO Wall Mounted Switch	30
Situo Variation Anemometer IO - 1 channel <i>To be used with the Soliris IO</i>	62
Situo Pure Variation Anemometer IO - 5 channel <i>To be used with the Soliris IO</i>	78

Sensors

Models	£
Soliris IO Mains Powered, Wireless Sun & Wind Sensor 90	100
Eolis IO Mains Powered, Wind Sensor	95
Eolis 3D Wirefree IO Battery Powered, Anemometer Wind Sensor	78
Eolis 3D Vibration Sensor - Battery Powered, Vibration Sensor	99

LED Arm Lights

LED Arm Lights including Lighting VAR IO receiver and transformer. Grey cable length to match

motor Arm Length Only available in grey and white	Per Pair £
1600mm	349
2100mm	382
2600mm	420
3100mm	458
3600mm	499

Special Options

Models	£
5M black motor cable	10
10M white motor cable	12
Powder Coating (Minimum order charge of £280 per Awning)	£70 per metre width

Carriage	£
Up to 5.8M commercial address main land England, Scotland and Wales	62
Up to 5.8M residential address main land England, Scotland and Wales	86
Up to 5.8M commercial address Northern Ireland	92

Carriage	£
Up to 5.8M residential address Northern Ireland	118
Up to 5.8M commercial address Channel islands and Isle of White	173
Up to 5.8M residential address Channel islands and Isle of White	208

Italia Slim

Retractable drop arm awning



Colours RAL

9010 White (Standard)

Min/Max width

Minimum 1200mm

Maximum 4000mm

Complete Dickson Solar Protection

Surcharges apply to the following fabrics: Dickson Jacquard add 10%, for Dickson Solar Protection Max Self Cleaning cover add 12%, for Spark FR add 15%

	Width cm	200	250	300	350	400
	Projection cm	£	£	£	£	£
Manual	80	882	949	1065	1190	1251
Motorised	80	1156	1223	1339	1464	1525
Manual	100	905	971	1093	1218	1285
Motorised	100	1179	1245	1367	1492	1559
Manual	120	926	996	1128	1247	1324
Motorised	120	1200	1270	1402	1521	1598
Manual	140	949	1015	1156	1278	1362
Motorised	140	1223	1289	1430	1552	1636
Manual	160	972	1041	1189	1310	1403
Motorised	160	1246	1315	1463	1584	1677

Motorised prices include, as standard, Somfy IO Motor with 3M Black

175mm Valance*	40	56	61	64	67
----------------	----	----	----	----	----

Options

Remotes

Models	£
Situo 1 IO (single channel remote)	28
Situo 5 IO (5 channel remote)	36
Smooove IO Wall Mounted Switch	30
Situo Variation Anemometer IO - 1 channel <i>To be used with the Soliris IO</i>	62
Situo Pure Variation Anemometer IO - 5 channel <i>To be used with the Soliris IO</i>	78

Sensors

Models	£
Soliris IO Mains Powered, Wireless Sun & Wind Sensor 90	100
Eolis IO Mains Powered, Wind Sensor	95
Eolis 3D Wirefree IO Battery Powered, Anemometer Wind Sensor	78
Eolis 3D Vibration Sensor - Battery Powered, Vibration Sensor	99

Special Options

Models	£
5M black motor cable	10
10M white motor cable	12
Powder Coating (Minimum order charge of £280 per Awning)	£70 per metre width

Carriage	£	Carriage	£
Up to 5.8M commercial address main land England, Scotland and Wales	62	Up to 5.8M residential address Northern Ireland	118
Up to 5.8M residential address main land England, Scotland and Wales	86	Up to 5.8M commercial address Channel islands and Isle of White	173
Up to 5.8M commercial address Northern Ireland	92	Up to 5.8M residential address Channel islands and Isle of White	208

Outdoor Living

Our outdoor living range includes all weather retractable or louvered roof systems.



Gennius

Our all-weather outdoor systems are becoming ever more popular within the commercial and domestic sectors. Increasing seating areas, the retractable reinforced PVC roof can provide shade in the peak of summer or shelter in the wettest winter, by creating an environment with flexibility, a wide range of uses can be achieved. With the increased popularity of an outdoor continental environment this system can come equipped with side elevations to fully enclose the structure. Further recommended options include lighting and heaters for all year-round use.

Prices - P.O.A



Kedry

Wall mounted or free standing, this impressive louvered roof system is equally becoming the must have item for commercial terrace environments, domestic patios, and outdoor cooking areas. Adjustable at the click of a button the louvers have the option to tilt as well as retract, whilst integrated gutters create seamless channels for water drainage. Internal and external LED lighting enhance the environment, whilst side elevation such as roller screens or bifold glass panels combined with heaters increase warmth.

Prices - P.O.A

Fabrics

Dickson range, cut length and roll price

Dickson® awning fabrics provide effective protection from UV rays and heat. Thanks to their unique coating, these fabrics are water-resistant and protect awnings from the elements by preventing water and dirt penetration.

10 year Guarantee.



Fabric: £ per metre	1200
Dickson solar protection 60M roll	15.0
Dickson solar protection Cut Length	16.2
Spark FR 60M roll	25.1
Spark FR Cut Length	31.4
Dickson solar protection Max (self cleaning) 60M roll	23.8
Dickson solar protection Max (self cleaning) Cut Length	29.7
Dickson Jacquards 60M roll	19.2
Dickson Jacquards Cut Length	24.0
Hideaway PVC pipe 100M (hidem)	0.8
Hideaway PVC pipe CL (hidem)	1.4
Valance edging braid 150M roll White	0.7
Valance edging braid 150M roll CL White	1.1
Valance edging braid 150M roll colours	0.8
Valance edging braid 150M roll CL colours	1.3
Cleaning kits - Tex Active Guard/Tex Active Clean 95CL	23.2
Tex Active Clean 95CL	11.3

The below images show examples of occasional, occurring characteristics of the fibres. They do not detract or affect the performance of the Awning.



FIG. 1



FIG. 2



FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10

In order to price a cover, combine width by drop in grid + side hems + single flat pockets x2 for top and bottom of the cover.

Dickson Fabrics

For:
Orchestra Max add 59%
Spark FR add 65%
Sunworker add 70%

Sunvision add 13%
Sunworker Opaque add 65%

Width cm	113	170	226	284	343	401	460	518	577	635	693	751	810	Side Hems (per pair)
Drop	£	£	£	£	£	£	£	£	£	£	£	£	£	£
25.4	36	38	45	56	66	66	72	76	88	90	90	98	101	30
46.0	55	55	61	72	72	75	76	85	90	91	93	101	102	30
61.0	55	58	66	74	76	85	90	98	99	104	106	120	127	30
76.0	56	66	72	78	88	93	99	104	106	119	130	140	143	30
91.0	58	74	75	90	91	101	102	120	134	143	146	155	169	30
107.0	58	75	78	98	99	111	120	140	145	158	169	189	193	30
122.0	61	78	88	101	104	131	135	149	155	180	189	203	209	30
137.0	66	88	91	106	119	140	145	169	179	195	203	225	234	30
152.0	72	90	98	119	130	147	155	182	190	212	223	248	251	30
168.0	74	93	101	131	137	158	173	195	205	234	247	269	278	30
183.0	75	99	104	137	145	176	183	209	221	250	257	292	297	33
198.0	76	101	111	145	149	183	193	225	236	269	280	309	323	33
213.0	78	104	120	149	163	195	207	240	250	286	296	328	342	33
229.0	85	111	131	158	176	207	221	255	269	305	312	355	361	33
244.0	88	120	134	173	182	221	235	270	286	323	338	373	384	33
259.0	90	130	137	180	192	234	248	286	297	342	355	405	411	33
274.0	91	134	145	189	202	247	255	300	312	358	373	413	428	33
290.0	93	137	147	195	209	255	270	312	328	376	392	437	453	33
305.0	98	143	150	203	221	269	284	328	348	395	408	456	471	34
320.0	99	146	158	209	233	280	296	342	359	411	428	480	496	34
335.0	101	147	173	221	236	293	308	359	376	428	452	491	511	34
351.0	102	150	179	233	249	300	323	375	395	452	466	523	537	34
366.0	102	158	182	236	255	311	331	389	408	463	484	538	558	34
381.0	104	169	189	248	265	324	343	405	424	483	501	562	583	34
396.0	106	176	192	251	278	340	358	421	438	498	523	583	601	34

Scalloping to bottom of dutch cover (inc. Edging)

Width cm	113	170	226	284	343	401	460	518	577	635	693	751	810
	£	£	£	£	£	£	£	£	£	£	£	£	£
	38	42	48	61	66	70	74	78	81	87	91	95	99

Separate 175mm deep scalloped or straight awning valance

Width cm	113	170	226	284	343	401	460	518	577	635	693	751	810
	£	£	£	£	£	£	£	£	£	£	£	£	£
	21	22	23	24	26	29	30	33	34	36	37	38	39

Single, flat roller pockets (inc. Fabric)

Width cm	113	170	226	284	343	401	460	518	577	635	693	751	810
£	£	£	£	£	£	£	£	£	£	£	£	£	£
2 inch	22	24	26	30	33	36	36	39	40	48	57	59	61
3 inch	23	26	30	34	37	38	40	48	57	59	66	69	76
4 inch	24	29	33	36	39	41	57	59	66	69	74	78	87
5 inch	24	30	36	38	41	57	61	66	72	75	78	87	100

Single, flat 25mm top/bottom pockets or hems (inc. Fabric)

Width cm	113	170	226	284	343	401	460	518	577	635	693	751	810
£	£	£	£	£	£	£	£	£	£	£	£	£	£
28	29	30	30	33	34	36	38	38	39	39	40	45	45

Storm Corners: +£30 per pair.

Overnight carriage: covers £13 (+£5 additional covers in same box if possible). Mainland commercial addresses, (home address +£25). Delivery to Northern Ireland and IOM £75 (+£36 additional rolls up to 60M)

Consumables

Description	Option	Trade price	Unit
SUNEA 50 IO 30/17 RRF 3m 1115205		£244.00	Each
SUNEA 50 IO 35/17 RRF 3m 1116229		£259.00	Each
SUNEA 50 IO 40/17 RRF 3m 1117223		£262.00	Each
SUNEA 50 IO 55/17 RRF 3m 1181232		£262.00	Each
SUNEA 60 IO 70/17 VVF 5m 1182207		£290.00	Each
SUNEA 60 IO 85/17 vvf 5m 1115205		£290.00	Each
OREA RTS 30/17-1115105		£244.00	Each
Motor Crown and Bracket set		£20.00	Set


Description	Option	Trade price	Unit
Note:LED arms or Anthracite arms not available for Base Lite			
Balteus LED Arms 1.6 projection (Pair)	White (or) Anthracite	£264.00	Pair
Balteus LED Arms 2.1 projection (Pair)	White (or) Anthracite	£297.00	Pair
Balteus LED Arms 2.6 projection (Pair)	White (or) Anthracite	£335.00	Pair
Balteus LED Arms 3.1 projection (Pair)	White (or) Anthracite	£373.00	Pair
Balteus LED Arms 3.6 projection (Pair)	White (or) Anthracite	£414.00	Pair
Chain Arm 1.6m (Pair)	White (or) Anthracite	£225.00	Pair
Chain Arm 2.1m (Pair)	White (or) Anthracite	£236.00	Pair
Chain Arm 2.6m (Pair)	White (or) Anthracite	£253.00	Pair
Chain Arm 3.1m (Pair)	White (or) Anthracite	£268.00	Pair
Chain Arm 3.6m (Pair)	White (or) Anthracite	£288.00	Pair

Description	Option	Trade price	Unit
Spin Arm Connector for arms (Pair)	White (or) Anthracite	£22.00	Pair
Gear Box 10:1	White (or) Black	£19.00	Each

Description	Option	Trade price	Unit
Manual Gear Crank Handle 1m	White	£8.00	Each
Manual Gear Crank Handle 1.5m	White (or) Anthracite	£11.00	Each
Manual Gear Crank Handle 2m	White	£13.00	Each

Description	Option	Trade price	Unit
UPVC Fillet for cover/valance pocket	White	£4.20	Per Metre

Carriage	£	Carriage	£
Up to 5.8M commercial address main land England, Scotland and Wales	62	Up to 5.8M residential address Northern Ireland	118
Up to 5.8M residential address main land England, Scotland and Wales	86	Up to 5.8M commercial address Channel islands and Isle of White	173
Up to 5.8M commercial address Northern Ireland	92	Up to 5.8M residential address Channel islands and Isle of White	208



Please send all order to:
Orders@basedirect.co.uk
sheet 2 for Covers order form

account no:		Invoice details				Delivery details (if different)					
Order no		Name		Name							
Contact name		Address		Address							
Contact tel											
Date of order											
No of pages											
Date required		Post code		Post code							
Qty.	System	Overall awning width	Projection (arm length)	Unit of size (mm, cm, etc)	Fabric ref no	Remote	Control (left or right)	Manual or electric operation	Valance (Straight, Scallop, N/A)	Brackets (face fix or top fix)	hardware colour
				mm							
Options		SPECIAL INSTRUCTIONS:									
		Brackets	YES/NO	Lighting	YES/NO	Wind sensor	YES/NO				
		spreader plate		Beltius LED arm		Soliris IO Mainssun and wind					
		Gutter Bracket		Spot lightbox		Eolis IO Mains Wind					
		Pipe bracket				Eolis 3D wirefree battery anemometer					
		Other bracket				Eolis Vibration sensor					

Base Awnings & Blinds LTD.

Unit 2B Masonry Trading Estate,135A Bloxwich Road, Wallsall, West Midlands. WS2 8BS